Welcome to STN International! Enter x:x

LOGINID: SSSPTA1623PAZ

PASSWORD:

NEWS PHONE

NEWS WWW

TERMINAL (ENTER 1, 2, 3, OR ?):2

Welcome to STN International NEWS Web Page URLs for STN Seminar Schedule - N. America "Ask CAS" for self-help around the clock NEWS NEWS FEB 25 CA/CAPLUS - Russian Agency for Patents and Trademarks (ROSPATENT) added to list of core patent offices covered NEWS FEB 28 PATDPAFULL - New display fields provide for legal status data from INPADOC FEB 28 BABS - Current-awareness alerts (SDIs) available NEWS NEWS 6 FEB 28 MEDLINE/LMEDLINE reloaded NEWS 7 MAR 02 GBFULL: New full-text patent database on STN 8 MAR 03 REGISTRY/ZREGISTRY - Sequence annotations enhanced NEWS 9 MAR 03 MEDLINE file segment of TOXCENTER reloaded NEWS NEWS 10 MAR 22 KOREAPAT now updated monthly; patent information enhanced NEWS 11 MAR 22 Original IDE display format returns to REGISTRY/ZREGISTRY NEWS 12 MAR 22 PATDPASPC - New patent database available 13 MAR 22 REGISTRY/ZREGISTRY enhanced with experimental property tags NEWS NEWS 14 APR 04 EPFULL enhanced with additional patent information and new fields NEWS 15 APR 04 EMBASE - Database reloaded and enhanced NEWS 16 APR 18 New CAS Information Use Policies available online NEWS 17 APR 25 Patent searching, including current-awareness alerts (SDIs), based on application date in CA/CAplus and USPATFULL/USPAT2 may be affected by a change in filing date for U.S. applications. NEWS 18 APR 28 Improved searching of U.S. Patent Classifications for U.S. patent records in CA/CAplus NEWS EXPRESS JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005 NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS INTER General Internet Information NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

CAS World Wide Web Site (general information)

Direct Dial and Telecommunication Network Access to STN

FILE 'HOME' ENTERED AT 05:47:12 ON 03 MAY 2005

=> le reg

غر زيد غ

THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> file reg
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 05:47:22 ON 03 MAY 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 MAY 2005 HIGHEST RN 849658-68-0 DICTIONARY FILE UPDATES: 2 MAY 2005 HIGHEST RN 849658-68-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.


Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=> Uploading c:\documents and settings\pzucker\my documents\examination auxillary files\10025947\10025947 1st tryv5.3.2005

L1 STRUCTURE UPLOADED

=> d 11 L1 HAS NO ANSWERS L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> search l1 sss sam SAMPLE SEARCH INITIATED 05:47:50 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 60 TO ITERATE

60 ITERATIONS 100.0% PROCESSED

2 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

COMPLETE BATCH

PROJECTED ITERATIONS:

736 TO 1664

PROJECTED ANSWERS:

2 TO 124

2 SEA SSS SAM L1

=> d scan

L22 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN

Glutaconic acid, 4-cinnamylidene-3-methyl- (7CI) IN

MF C15 H14 O4

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):2

L2 REGISTRY COPYRIGHT 2005 ACS on STN 2 ANSWERS

2-Butenedioic acid, 2,3-bis[2-hydroxy-2-[5-methyl-2-IN

(methylthio)phenyl]ethenyl]- (9CI)

C24 H24 O6 S2 MF

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=>

Uploading C:\Documents and Settings\PZucker\My Documents\Examination Auxillary files\10025947\10025947 RCE 1st try Hfixed522005.str

L3 STRUCTURE UPLOADED

=> d 13

L3 HAS NO ANSWERS

L3 STF

Structure attributes must be viewed using STN Express query preparation.

=> search 13 sss sam
SAMPLE SEARCH INITIATED 05:50:14 FILE 'REGISTRY'

100.0% PROCESSED 60 ITERATIONS

SEARCH TIME: 00.00.01

SAMPLE SCREEN SEARCH COMPLETED -

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS:

736 TO 1664

60 TO ITERATE

0 ANSWERS

PROJECTED ANSWERS: 0 TO

L4 0 SEA SSS SAM L3

=> search 13 sss fulkl
COMBINATION OF STRUCTURE AND TEXT TERMS NOT VALID
The query entered contains both search terms created by

structure-building or screen commands and text search terms. L#s created via the STRUCTURE or SCREEN commands must be searched in the structures files separately from text terms or profiles. The L# answer sets from structure searches can be used in crossover searches and can be combined with text terms.

=> search 13 sss full FULL SEARCH INITIATED 05:50:30 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 1410 TO ITERATE

100.0% PROCESSED 1410 ITERATIONS SEARCH TIME: 00.00.01

3 ANSWERS

L5

3 SEA SSS FUL L3

=> d scan

L5 3 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 2-Butenoic acid, 4-(3,4-dihydroxyphenyl)-2-[2-(3,4-dihydroxyphenyl)ethenyl]- (9CI)
MF C18 H16 O6

$$CH = CH - CH - CH_2$$

HO

OH

OH

OH

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):3

L5 3 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 2-Butenoic acid, 3,4-bis(acetyloxy)-2-[2-[3,4-bis(acetyloxy)phenyl]ethenyl]- (9CI)
MF C26 H24 O10

AcO
$$CO_2H$$
 CH CH CH CH CH CH

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L5 3 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 2-Pentenoic acid, 2-(2,2-diphenylvinyl)-5-phenyl- (7CI)
MF C25 H22 O2

$$\begin{array}{c} \text{CO}_2\text{H} \\ | \\ \text{Ph}_2\text{C} = \text{CH-C} = \text{CH-CH}_2\text{-CH}_2\text{-Ph} \end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> d cost		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
CONNECT CHARGES	3.33	3.48
NETWORK CHARGES	0.54	0.60
SEARCH CHARGES	160.90	160.90
FULL ESTIMATED COST	164.77	164.98

IN FILE 'REGISTRY' AT 05:52:51 ON 03 MAY 2005

SINCE FILE	TOTAL
ENTRY	SESSION
165.20	165.41
	ENTRY

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 05:53:04 ON 03 MAY 2005

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1623PAZ

PASSWORD:

* * * * * RECONNECTED TO STN INTERNATIONAL * * * * * * * SESSION RESUMED IN FILE 'REGISTRY' AT 06:07:57 ON 03 MAY 2005 FILE 'REGISTRY' ENTERED AT 06:07:57 ON 03 MAY 2005 COPYRIGHT (C) 2005 American Chemical Society (ACS)

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	165.20	165.41

=>	е	2,4-Pentadien	oic acid, 2,3,4,5-t	etrac	hloro-5-(phenylthio)-, (?,Z)-/cn
E1		1			2,3,4,5-TETRACHLORO-5-(4-METHYLPHENYL
)-, METHYL ESTER/C	:N	
E2		ļ	2,4-PENTADIENOIC A	CID,	2,3,4,5-TETRACHLORO-5-(CYCLOHEXYLTHIO
)-, (?,Z)-/CN		
E3		1>	2,4-PENTADIENOIC A	CID,	2,3,4,5-TETRACHLORO-5-(PHENYLTHIO)-,
			(?,Z)-/CN	,	
E4		1	2,4-PENTADIENOIC A	CID.	2,3,4,5-TETRACHLORO-5-(PROPYLTHIO)-,
			(?,Z)-/CN	•	
E5		1	2,4-PENTADIENOIC A	CID.	2,3,4,5-TETRACHLORO-5-CYCLOHEXYL-/CN

```
2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-HYDROXY-, .DELT
E6
             1
                   A.-LACTONE/CN
E7
                   2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-HYDROXY-, LACTO
             1
                   NE/CN
E8
             1
                   2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-METHOXY-/CN
E9
                   2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-PHENYL-/CN
E10
                   2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-PHENYL-, (E,Z)-
                   /CN
E11
             1
                   2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-PHENYL-, (Z,E)-
                   /CN
E12
             1
                   2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-PHENYL-, (Z,Z)-
                    /CN
=> e3
L6
             1 "2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-(PHENYLTHIO)-,
                (?,Z)-"/CN
=> d 16
L6
     ANSWER 1 OF 1 REGISTRY COPYRIGHT 2005 ACS on STN
     65910-67-0 REGISTRY
RN
ED
     Entered STN: 16 Nov 1984
CN
     2,4-Pentadienoic acid, 2,3,4,5-tetrachloro-5-(phenylthio)-, (?,Z)-
     (9CI)
           (CA INDEX NAME)
FS
     STEREOSEARCH
MF
     C11 H6 C14 O2 S
_LC
     STN Files:
                 BEILSTEIN*, CA, CAPLUS
          (*File contains numerically searchable property data)
```

Double bond geometry as described by E or Z.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus
COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 172.07 172.28

FILE 'CAPLUS' ENTERED AT 06:08:43 ON 03 MAY 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 May 2005 VOL 142 ISS 19 FILE LAST UPDATED: 2 May 2005 (20050502/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> 16

L7 1 L6

=> d 17 ti fbib abs

L7 ANSWER 1 OF 1 CAPLUS. COPYRIGHT 2005 ACS on STN

TI Rearrangements of vinylogous acyl chlorides, XX. 1,5-Oxygen transfer of (Z)-perchloro-2,4-pentadienethioates

AN 1978:120366 CAPLUS

DN 88:120366

TI Rearrangements of vinylogous acyl chlorides, XX. 1,5-Oxygen transfer of (Z)-perchloro-2,4-pentadienethioates

AU Roedig, Alfred; Fleischmann, Klaus; Frank, Fritz; Rettenberger, Reinhard

CS Inst. Org. Chem., Univ. Wuerzburg, Wuerzburg, Fed. Rep. Ger.

SO Justus Liebigs Annalen der Chemie (1977), (11-12), 2091-105 CODEN: JLACBF; ISSN: 0075-4617

DT Journal

LA German

GI

AB Pentadienethioates (I; R = Me, Et, Ph, etc.) rearrange thermally via the pyran intermediates, II and III, to yield 5-thiosubstituted acyl chlorides (IV; R as above). An equilibrium mixture I-IV is formed with a preponderance of

IV.

=> file reg COST IN U.S. DOLLARS

SINCE FILE

TOTAL

FULL ESTIMATED COST	ENTRY 4.90	SESSION 177.18
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-0.73	-0.73

FILE 'REGISTRY' ENTERED AT 06:11:41 ON 03 MAY 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 MAY 2005 HIGHEST RN 849658-68-0 DICTIONARY FILE UPDATES: 2 MAY 2005 HIGHEST RN 849658-68-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=> e e1	•		
E1 /	1	2,4-PENTADIENOIC ACID, 2,3,4)-, (E,Z)-/CN	,5-TETRACHLORO-5-(4-METHYLPHENYL
. =0	1		E MEMBRACUTORO É // MEMBUUT DUENUT
E2	1	2,4-PENTADIENOIC ACID, $2,3,4)-, (2,2)-/CN$,5-TETRACHLORO-5-(4-METHYLPHENYL
E3	1>	2,4-PENTADIENOIC ACID, 2,3,4	,5-TETRACHLORO-5-(4-METHYLPHENYL
)-, METHYL ESTER/CN	
E4	1	2,4-PENTADIENOIC ACID, 2,3,4	,5-TETRACHLORO-5-(CYCLOHEXYLTHIO
)-, (?,Z)-/CN	
E5	1	2,4-PENTADIENOIC ACID, 2,3,4	,5-TETRACHLORO-5-(PHENYLTHIO)-,
•		(?,Z)-/CN	
E6	1	2,4-PENTADIENOIC ACID, 2,3,4	,5-TETRACHLORO-5-(PROPYLTHIO)-,
		(?,Z)-/CN	
E7	1	2,4-PENTADIENOIC ACID, 2,3,4	,5-TETRACHLORO-5-CYCLOHEXYL-/CN
E8	1 .		,5-TETRACHLORO-5-HYDROXY-, .DELT
		ALACTONE/CN	
E9	1	2,4-PENTADIENOIC ACID, 2,3,4	,5-TETRACHLORO-5-HYDROXY-, LACTO
		NE/CN	
E10	1	2,4-PENTADIENOIC ACID, 2,3,4	,5-TETRACHLORO-5-METHOXY-/CN
E11	1	2,4-PENTADIENOIC ACID, 2,3,4	,5-TETRACHLORO-5-PHENYL-/CN
E12	1		,5-TETRACHLORO-5-PHENYL-, (E,Z)-

=> e1

L8 1 "2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-(4-METHYLPHENYL)-,
(E,Z)-"/CN

(E, Z) - 7C

=> d 18

L8 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2005 ACS on STN

RN 52778-62-8 REGISTRY

ED Entered STN: 16 Nov 1984

CN 2,4-Pentadienoic acid, 2,3,4,5-tetrachloro-5-(4-methylphenyl)-, (E,Z)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C12 H8 C14 O2

LC STN Files: BEILSTEIN*, CA, CAPLUS

(*File contains numerically searchable property data)

Double bond geometry as shown.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 7.30 184.48 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL **ENTRY** SESSION CA SUBSCRIBER PRICE 0.00 -0.73

FILE 'CAPLUS' ENTERED AT 06:12:37 ON 03 MAY 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 May 2005 VOL 142 ISS 19 FILE LAST UPDATED: 2 May 2005 (20050502/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> 18

L9 1 L8

=> d 19 ti fbib abs

- L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Rearrangements of vinylogous carbonyl chlorides. XI. Synthesis and thermal rearrangement of cis-pentachloropentadienones into tetrachlorobutadienecarbonyl chlorides
- AN 1974:463288 CAPLUS
- DN 81:63288
- TI Rearrangements of vinylogous carbonyl chlorides. XI. Synthesis and thermal rearrangement of cis-pentachloropentadienones into tetrachlorobutadienecarbonyl chlorides
- AU Roedig, Alfred; Frank, Fritz; Roebke, Gerhard
- CS Inst. Org. Chem., Univ. Wuerzburg, Wuerzburg, Fed. Rep. Ger.
- SO Justus Liebigs Annalen der Chemie (1974), (4), 630-43 CODEN: JLACBF; ISSN: 0075-4617
- DT Journal
- LA German
- GI For diagram(s), see printed CA Issue.
- AB In order to determine the influence of substituents bonded at the carbonyl group of perchlorinated cis-pentadienones on the rate of 1,5-oxygen transfer the ketones Cl(ClC:CCl)2COR (I) were prepared I (R = Me, Et, Pr, CHMe2, cyclohexyl, or 1-Cl0H7) were prepared by Grignard reaction of I (R = H) with RX (X = Cl or Br), followed by dehydrogenation of the resulting Cl(ClC:CCl)2CHROH. I (R = 2,4,6-Me3C6H2, 4-ClC6H4, or 4-Me2NC6H4) were prepared by Friedel-Crafts reaction of RH with I (R = Cl). I (R = 4-MeC6H4) was prepared by both methods. The thermal rearrangement of I into R(ClC:CCl)2COCl was demonstrated by conversion of R(ClC:CCl)2CO2H and of the starting ketones I into the same pyrones II. The reaction kinetics were studied by ir spectrophotometric methods and activation parameters were determined The results are in accord with formation of 2H-pyran in the 1st reaction step, which is generally activated by electron-donating and deactivated by electron-attracting substituents at the carbonyl group.

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	3.55	188.03
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.73	-1.46

FILE 'REGISTRY' ENTERED AT 06:13:46 ON 03 MAY 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 MAY 2005 HIGHEST RN 849658-68-0 DICTIONARY FILE UPDATES: 2 MAY 2005 HIGHEST RN 849658-68-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=> e9 L10

1 "2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-HYDROXY-, LACTONE" /CN

=> d 110

L10 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2005 ACS on STN

RN 10269-62-2 REGISTRY

ED Entered STN: 16 Nov 1984

CN 2H-Pyran-2-one, 3,4,5,6-tetrachloro- (8CI, 9CI) (CA INDEX NAME) OTHER CA INDEX NAMES:

CN 2,4-Pentadienoic acid, 2,3,4,5-tetrachloro-5-hydroxy-, δ -lactone (7CI)

CN 2,4-Pentadienoic acid, 2,3,4,5-tetrachloro-5-hydroxy-, lactone (6CI)

OTHER NAMES:

CN NSC 41928

CN Perchloro-2-pyrone

CN Perchlorocoumalin

CN Tetrachloro- α -pyrone

FS 3D CONCORD

MF C5 C14 O2

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, IFICDB, IFIPAT, IFIUDB, TOXCENTER

(*File contains numerically searchable property data)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

22 REFERENCES IN FILE CA (1907 TO DATE)

22 REFERENCES IN FILE CAPLUS (1907 TO DATE)

4 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> e11

L11

1 "2,4-PENTADIENOIC ACID, 2,3,4,5-TETRACHLORO-5-PHENYL-"/CN

=> d 111

L11 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2005 ACS on STN

93002-18-7 REGISTRY

Entered STN: 18 Dec 1984

2,4-Pentadienoic acid, 2,3,4,5-tetrachloro-5-phenyl- (7CI) (CA

INDEX NAME) FS

3D CONCORD

MF C11 H6 C14 O2

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS

(*File contains numerically searchable property data)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> logoff hold COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST

202.20

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE TOTAL

CA SUBSCRIBER PRICE

ENTRY SESSION 0.00 -1.46

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 06:15:20 ON 03 MAY 2005